

# Australasian Standard Project

## Room Data Sheets

|  |   |                        |
|--|---|------------------------|
| <b>Department</b>                        | <b>Standard Components</b>  | <b>Room Tag: 2080</b>  |
| <b>Room Name</b>                         | <b>Interview Room - Family/ Large</b>   | <b>Room Code: INTF</b> |
| <b>Area</b>                              | 12.0 M2   |                        |
| <b>No of Rooms</b>                       | 1   |                        |
| <b>Subtotal of Area</b>                  | 12.0 M2   |                        |
| <b>Minimum Dimension</b>                 | 0.0 M2  |                        |
| <b>Hours of Operation</b>                | 24 Hours  |                        |
| <b>Occupancy</b>                         | Up to 6 persons   |                        |
| <b>Also covers these Rooms</b>           |   |                        |
| <b>Description/ Special Requirements</b> | <p>A larger Interview Room to undertake confidential discussion and/ or counselling between staff, patients and or family members where required. The Interview Room may also be used as a multipurpose room for small staff groups or discussions. An external outlook is desirable. The Interview Room - Family may also be used for mental health patients. If used for this purpose an observation window (toughened glass with integral venetians) should be installed.</p> <p>Acoustics: Sound attenuation level - high; Acoustic privacy required.</p> <p>Additional Design Considerations:<br/>- A second egress door may be required for staff safety and security</p> |                        |
| <b>Amendment</b>                         | <p>20.11.03, - First Draft<br/>08.02.05, - BOB User review, window added for mental health use</p>  |                        |

### Room Fabric and outline specifications

| ID   | Fabric          | Material               | Finish            | Specification                  | Selection | Remarks                              |
|------|-----------------|------------------------|-------------------|--------------------------------|-----------|--------------------------------------|
| 5060 | Ceiling         | Acoustic               | Prefinished       | Drop-in tiles, 600x1200        |           |                                      |
| 8010 | Door protection | Composite              | Prefinished PVC   | Protection plate to 900 AFFL   |           | Equal to Acrovyn                     |
| 8040 | Door protection | Composite              | Prefinished PVC   | To door frame                  |           | Equal to Acrovyn                     |
| 9004 | Doors           | Solid Core/ Glass      | Paint             | Single leaf, observation panel |           | 910mm clear opening, lock set        |
| 1149 | Floor finish    | Carpet                 | 90/10 Wool/ Nylon | Broadloom; 48 oz.              |           | Vinyl also acceptable                |
| 7032 | Observation     | Steel/ Toughened glass | Paint             | Internal window                |           | double glazing for mental health use |
| 2010 | Skirting        | Vinyl                  | Prefinished       | Feather edged, 150 mmH         |           | or floor vinyl covered skirting      |
| 3000 | Wall finish     | Paint                  | Acrylic, washable |                                |           |                                      |
| 7001 | Windows         |                        |                   |                                |           | Desirable                            |

### Fittings and Furniture (FF)

| ID    | Description                      | Category           | Group | Qty | Selection             |
|-------|----------------------------------|--------------------|-------|-----|-----------------------|
| 350   | Artwork                          | Furniture/ Fitting | 3     | 1   | optional              |
| 1250  | Blind: Venetian                  | Metalwork          | 3     | 1   | if windows provided   |
| 1252  | Blind: Venetian integral         | Furniture/ Fitting | 1     | 1   | for mental health use |
| 2655  | Chair: visitor                   | Furniture/ Fitting | 3     | 6   |                       |
| 17385 | Pinboard/ whiteboard combination | Furniture/ Fitting | 1     | 1   | optional              |

# Australasian Standard Project

## Room Data Sheets

Department **Standard Components**  
Room Name **Interview Room - Family/ Large**

Room Tag: **2080**  
Room Code: **INTF**

| ID    | Description                | Category           | Group | Qty | Selection |
|-------|----------------------------|--------------------|-------|-----|-----------|
| 22800 | Table: low                 | Furniture/ Fitting | 3     | 2   |           |
| 24100 | Waste bin: paper, 20 Litre | Furniture/ Fitting | 3     | 1   |           |

### Fixtures, Equipment and associated Services (FE)

| ID    | Description                  | Group | Qty | Ele | Data | CdW | HtW | WmW | Tap | Dns | Gas | Selection |
|-------|------------------------------|-------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----------|
| 54510 | Telephone: handset, standard | 3     | 1   | ___ | yes  | ___ | ___ | ___ | ___ | ___ | ___ | on table  |

### Services

| ID    | Description                 | Service Category | Qty | Remarks                              |
|-------|-----------------------------|------------------|-----|--------------------------------------|
| 1006  | Voice / Data outlet: double | Communications   | 2   | 1 outlet on each panel for telephone |
| 5000  | Airconditioning             | HVAC             |     |                                      |
| 6000  | General fluorescent         | Lighting         |     |                                      |
| 6046  | Indirect lighting           | Lighting         |     | optional                             |
| 9001  | GPO: Double                 | Power            | 3   |                                      |
| 10005 | Duress alarm                | Security         | 1   |                                      |