

# Australasian Standard Project

## Room Data Sheets

<b>Department</b>	<b>Standard Components</b>	<b>Room Tag: 2920</b>
<b>Room Name</b>	<b>Shower - Staff</b>	<b>Room Code: SHST</b>
<b>Area</b>	2.0 M2	
<b>No of Rooms</b>	1	
<b>Subtotal of Area</b>		
<b>Hours of Operation</b>	24 Hours	
<b>Occupancy</b>	1 staff member	
<b>Also covers these Rooms</b>		
<b>Description/ Special Requirements</b>	A shower room for staff use. The Staff Shower may be gender specific or unisex.	
	Acoustic: Sound attenuation- medium; Acoustic privacy is required.	
<b>Amendment</b>	08.12.03, - First Draft	

### Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5023	Ceiling	Plasterboard	Prefinished	Water resistant, drop in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9001	Doors	Solid Core	Paint	Single leaf		850mm clear opening; privacy latch
1025	Floor finish	Vinyl, non slip	Studded	Seamless, coved		tiles also acceptable
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		or tiles for tiled floor
3070	Wall finish	Vinyl	Prefinished	Wall vinyl full height		tiles also acceptable

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection
1002	Bench seat: fold up/down	Furniture/ Fitting	2	1	optional
3400	Coathook	Metalwork	1	2	
4800	Curtain track: shower	Metalwork	1	1	
5300	Curtain: shower	Furniture/ Fitting	3	1	
13700	Mirror	Metalwork	1	1	optional
20650	Soap/ shampoo holder	Furniture/ Fitting	1	1	

### Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection
47500	Shower: fixed rose	1	1	—	—	yes	—	yes	yes	yes	—	

### Services

ID	Description	Service Category	Qty	Remarks
5000	Airconditioning	HVAC		
5019	Exhaust	HVAC		
4033	Floor waste	Hydraulics	1	
6000	General fluorescent	Lighting		