

Australasian Standard Project

Room Data Sheets

| | | |
|--|---|--------------------------|
| Department | Standard Components | Room Tag: 3190 |
| Room Name | Toilet - Public, 3m2 | Room Code: WCPU-3 |
| Area | 3.0 M2 | |
| No of Rooms | 1 | |
| Subtotal of Area | 3.0 M2 | |
| Hours of Operation | 24 Hours | |
| Occupancy | 1 | |
| Also covers these Rooms | | |
| Description/ Special Requirements | A room containing a toilet and handbasin for public or visitor use. Acoustics: Sound attenuation level - high; Acoustic privacy is required. | |
| Amendment | 08.12.03, - First Draft | |

Room Fabric and outline specifications

| ID | Fabric | Material | Finish | Specification | Selection | Remarks |
|------|-----------------|--------------|-------------------------|--|-----------|---|
| 5023 | Ceiling | Plasterboard | Prefinished | Water resistant, drop in tiles, 600x1200 | | |
| 6030 | Cornice | Aluminium | Powdercoat | 24mm shadow angle | | |
| 8000 | Door protection | Vinyl | Prefinished | Kickplate, 300mm high | | |
| 9001 | Doors | Solid Core | Paint | Single leaf | | 850mm clear opening, privacy latch, emergency release |
| 1000 | Floor finish | Vinyl | Standard slip resistant | Seamless, covered | | tiles also acceptable |
| 2000 | Skirting | Vinyl | Prefinished | Floor vinyl covered, 150 mmH | | or tiles for tiled floor |
| 3000 | Wall finish | Paint | Acrylic, washable | | | |
| 3060 | Wall finish | Vinyl | Prefinished | Splashback | | tiles also acceptable |

Fittings and Furniture (FF)

| ID | Description | Category | Group | Qty | Selection |
|-------|------------------------------|--------------------|-------|-----|-----------|
| 3400 | Coathook | Metalwork | 1 | 1 | |
| 6154 | Dispenser: paper/ hand towel | Furniture/ Fitting | 2 | 1 | to basin |
| 6156 | Dispenser: soap | Furniture/ Fitting | 2 | 1 | to basin |
| 6160 | Dispenser: toilet paper | Furniture/ Fitting | 1 | 1 | |
| 13700 | Mirror | Metalwork | 1 | 1 | |
| 19910 | Shelf: vanity | Furniture/ Fitting | 1 | 1 | |
| 24100 | Waste bin: paper, 20 Litre | Furniture/ Fitting | 3 | 1 | |
| 19100 | Waste bin: sanitary | Furniture/ Fitting | 3 | 1 | |

Fixtures, Equipment and associated Services (FE)

| ID | Description | Group | Qty | Ele | Data | CdW | HtW | WmW | Tap | Dns | Gas | Selection |
|-------|-------------------------|-------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----------------------|
| 2850 | Basin: handwash, Type C | 1 | 1 | ___ | ___ | yes | ___ | yes | yes | yes | ___ | refer to BHWS-C (sim) |
| 55600 | Toilet suite: standard | 1 | 1 | ___ | ___ | yes | ___ | ___ | yes | yes | ___ | |

Australasian Standard Project
Room Data Sheets

Department | **Standard Components**
Room Name | **Toilet - Public, 3m2**

Room Tag: 3190
Room Code: WCPU-3

Services

| ID | Description | Service Category | Qty | Remarks |
|------|---------------------|------------------|-----|----------|
| 5019 | Exhaust | HVAC | | |
| 5015 | Ventilation | HVAC | | |
| 4033 | Floor waste | Hydraulics | 1 | |
| 6000 | General fluorescent | Lighting | | |
| 9001 | GPO: Double | Power | 1 | optional |