

NSW Standard Project
Room Data Sheets

Department	Standard Components	Room Tag: 1620
Room Name	Bay - Public Telephone	Room Code: BPH
Area	4.0 M2	
No of Rooms	1	
Subtotal of Area		
Hours of Operation	24 Hours	
Occupancy	1 - 2	
Also covers these Rooms		
Description/ Special Requirements	An area with provision for public telephones; Disabled access should be provided to a minimum of one telephone bay. The Public Telephone Bay should be located with ready access to waiting areas.	
Amendment	24.02.05, - First Draft	

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		carpet also acceptable
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		or featheredge vinyl skirting over carpet
3000	Wall finish	Paint	Acrylic, washable			
4031	Wall protection	Composite	Prefinished PVC	Corner guards to 1500 AFFL		As required, equal to 'Acrovyn'

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection
1050	Bench: laminate	Furniture/ Fitting	1	2	at disabled access height
16840	Partitions: laminate	Furniture/ Fitting	1	1	between telephone bays

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection
41900	Telephone: public	3	2	yes	yes	—	—	—	—	—	—	

Services

ID	Description	Service Category	Qty	Remarks
1011	Telephone: public phone	Communications	2	1/ bay
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9000	GPO: Single	Power	2	1/ bay