

**NSW Standard Project**  
**Room Data Sheets**

**Department** Standard Components  
**Room Name** Change Cubicle - Disabled

**Room Tag:** 1510  
**Room Code:** CHPT-D

**Area** 4.0 M2  
**No of Rooms** 1  
**Subtotal of Area** 4.0 M2  
**Hours of Operation** 24 Hours  
**Occupancy** 1 patient  
**Also covers these Rooms**  
**Description/ Special Requirements** A screened area for disabled patients to undress from street clothes into a hospital gown, as appropriate, prior to examination or treatment. Following examination or treatment, the patient will re-dress in street clothes. The Change Cubicle should provide facilities for hanging clothes and a bench for the patient to sit on whilst changing.  
**Amendment** 31.10.03, - First Draft

**Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
9001	Doors	Solid Core	Paint	Single leaf		910mm outward opening, Privacy latch
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			

**Fittings and Furniture (FF)**

ID	Description	Category	Group	Qty	Selection
1000	Bench seat	Furniture/ Fitting	1	1	
3400	Coathook	Metalwork	1	2	at 1200 AFFL
4700	Curtain track: privacy screen	Metalwork	1	1	or door to cubicle
5250	Curtain: privacy screen	Furniture/ Fitting	3	1	if curtain track provided
13700	Mirror	Metalwork	1	1	

**Fixtures, Equipment and associated Services (FE)**

**Services**

ID	Description	Service Category	Qty	Remarks
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
8080	Emergency call	Nurse Call	1	+ indicator button & light, outside cubicle entry
8000	Patient/ Staff call	Nurse Call	1	+ indicator button & light
8010	Staff/ Nurse assist call	Nurse Call	1	+ indicator button & light