

NSW Standard Project
Room Data Sheets

Department	Standard Components	Room Tag: 2210
Room Name	Meeting Room - Medium/Large, 15m2	Room Code: MEET-L-15
Area	15.0 M2	
No of Rooms	1	
Subtotal of Area		
Hours of Operation	Available 24 Hours	
Occupancy	Up to 12	
Also covers these Rooms		
Description/ Special Requirements	<p>The Medium & Large Meeting Rooms will accommodate staff and other meetings. It is a multipurpose room also used for tutorials, staff meetings, training or educational purposes. The room may be located in close proximity to a Beverage Bay.</p> <p>Acoustics: Sound attenuation level high; Acoustic privacy required.</p>	
Amendment	<p>08.12.03, - First Draft 09.02.05, - BOB User review, joinery deleted</p>	

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9004	Doors	Solid Core/ Glass	Paint	Single leaf, observation panel		910mm clear opening, lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom; 48 oz.		
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
7001	Windows					desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection
1250	Blind: Venetian	Metalwork	3	1	'Grey-out' for audiovisual presentaitons
2060	Chair: meeting room	Furniture/ Fitting	3	12	may be stackable
3350	Clock: battery operated	Furniture/ Fitting	3	1	
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	
21105	Stand: projector	Furniture/ Fitting	3	1	optional
23040	Table: meeting	Furniture/ Fitting	3	2	smaller tables may be located together
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	
24400	Whiteboard	Furniture/ Fitting	2	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection
41350	Projection screen: ceiling, auto	1	1	yes	—	—	—	—	—	—	—	
41400	Projector	3	1	yes	—	—	—	—	—	—	—	optional

NSW Standard Project
Room Data Sheets

Department | **Standard Components**
Room Name | **Meeting Room - Medium/Large, 15m2**

Room Tag: 2210
Room Code: MEET-L-15

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection
54510	Telephone: handset, standard	3	1	—	yes	—	—	—	—	—	—	immediately outside room entry

Services

ID	Description	Service Category	Qty	Remarks
1000	Telephone: PABX	Communications	1	wall phone outside room entry
1090	TV: MATV	Communications	1	
1006	Voice / Data outlet: double	Communications	3	
5000	Airconditioning	HVAC		
6110	Downlights: dimmable	Lighting		for audiovisual presentations
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	6	