

NSW Standard Project
Room Data Sheets

Department	Standard Components	Room Tag: 2550
Room Name	Parenting Room	Room Code: PAR
Area	6.0 M2	
No of Rooms	1	
Subtotal of Area	6.0 M2	
Hours of Operation	Available 24 Hours	
Occupancy	Up to 2	
Also covers these Rooms		
Description/ Special Requirements	<p>The Parenting Room is provided for parents to feed and change babies, and will provide access for prams. The Parenting Room will be located with other child related facilities and have ready access to a Toilet and Waiting area.</p> <p>Acoustics: Sound attenuation level - High. Acoustic privacy required.</p>	
Amendment	17.12.03, - First Draft	

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		Equal to 'Acrovyn'
8040	Door protection	Composite	Prefinished PVC	To door frame		Equal to 'Acrovyn'
9001	Doors	Solid Core	Paint	Single leaf		910mm clear opening, privacy latch
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		tiles also acceptable
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		or tiles for tiled floor
3000	Wall finish	Paint	Acrylic, washable			
3060	Wall finish	Vinyl	Prefinished	Splashback		tiles also acceptable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection
1050	Bench: laminate	Furniture/ Fitting	1	1	with sink & baby change recess
2000	Chair: lounge	Furniture/ Fitting	3	1	
3400	Coathook	Metalwork	1	1	
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to sink
6156	Dispenser: soap	Furniture/ Fitting	2	1	to sink
24105	Waste bin: fliptop, 20 Litre	Furniture/ Fitting	3	1	under bench

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection
47800	Sink, S/S: single in bench	1	1	—	—	yes	opt	opt	yes	yes	—	warm water

NSW Standard Project
Room Data Sheets

Department | **Standard Components**
Room Name | **Parenting Room**

Room Tag: 2550
Room Code: PAR

Services

ID	Description	Service Category	Qty	Remarks
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	1	