

NSW Standard Project

Room Data Sheets

Department	Standard Components	Room Tag: 3130
Room Name	Store - Photocopy/ Stationery	Room Code: STPS
Area	8.0 M2	
No of Rooms	1	
Subtotal of Area	8.0 M2	
Hours of Operation	24 Hours	
Occupancy	1-2 intermittently	
Also covers these Rooms		
Description/ Special Requirements	A room for the photocopier and for secure storage of paper and stationery supplies. The facsimile and printer may also be located in this area if required.	
Amendment	05.12.03, - First Draft	

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9001	Doors	Solid Core	Paint	Single leaf		optional, 910mm clear opening; lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom; 48 oz.		vinyl also acceptable
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH		or floor vinyl covered skirting
3000	Wall finish	Paint	Acrylic, washable			

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection
1050	Bench: laminate	Furniture/ Fitting	1	1	
4360	Cupboard: door ht adj. shelves	Furniture/ Fitting	1	1	stationery storage, lockable
4420	Cupboard: under bench, lockable	Furniture/ Fitting	1	1	adjustable shelves, paper storage
20000	Shelving unit: adjustable	Furniture/ Fitting	1	1	over bench
24114	Waste bin: flip-top, 50 Litre	Furniture/ Fitting	3	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection
20800	Facsimile machine	3	1	yes	___	___	___	___	___	___	___	optional
39800	Photocopier	3	1	yes	___	___	___	___	___	___	___	
41100	Printer: networked	3	1	yes	yes	___	___	___	___	___	___	optional

Services

ID	Description	Service Category	Qty	Remarks
1006	Voice / Data outlet: double	Communications	2	1 outlet over bench for telephone
5000	Airconditioning	HVAC		

NSW Standard Project
Room Data Sheets

Department | **Standard Components**
Room Name | **Store - Photocopy/ Stationery**

Room Tag: 3130
Room Code: STPS

ID	Description	Service Category	Qty	Remarks
5019	Exhaust	HVAC		over photocopier
6000	General fluorescent	Lighting		
6055	Special: task light, built in	Lighting	1	under O/H shelves
9001	GPO: Double	Power	3	