

NSW HFG STANDARD COMPONENTS

Room Layout Sheet


Room Name **Patient Bay - Critical (Enclosed), 20m2**

RLS Room Code **PBCE-20**


RDS Room Code **PBCE-20**

- COM/2 COMMUNICATION OUTLET - DOUBLE
- DDG DISPENSER - DISPOSABLE GLOVES
- DGL DOUBLE GLAZING
- DHT DISPENSER - HAND TOWEL
- DSA DISPENSER - SOAP ANTISEPTIC
- DS DISPENSER - SOAP
- GPO/1 GENERAL PURPOSE OUTLET - SINGLE
- GPO/1 EP EMERGENCY POWER - SINGLE
- GPO/2 EP EMERGENCY POWER - DOUBLE
- GPO/2 GENERAL PURPOSE OUTLET - DOUBLE
- GPO/C GENERAL PURPOSE OUTLET - CLEANER'S
- LS LIGHT SWITCH
- RCD RESIDUAL CURRENT DEVICE
- RO REVERSE OSMOSIS
- SG SINGLE GLAZING
- SK4 FLOOR VINYL COVED SKIRTING
- UPS UNINTERRUPTIBLE POWER SUPPLY
- V1 VINYL FLOORING STANDARD
- WB WHITEBOARD
- WT WALL TELEPHONE

- SERVICE PENDANTS :
- 1 x EMERGENCY CALL
 - 1 x NURSE ASSIST CALL
 - 1 x PATIENT/NURSE CALL & HANDSET
 - 12 x GPO/1
 - 12 x GPO/1 EP, 2 ON UPS
 - 4 x OXYGEN
 - 2 x MEDICAL AIR
 - 4 x SUCTION
 - 1 x MONITOR CONNECTION
 - 1 x DATA POINT, DOUBLE
 - 1 x RCD



ELEVATION 3



ELEVATION 4

| REV | DESCRIPTION | DATE | BY | REV | DESCRIPTION | DATE | BY | REV | DESCRIPTION | DATE | BY |
|-----|------------------------------------|----------|----|-----|-------------|------|----|-----|-------------|------|----|
| 1 | FIRST ISSUE | 20.11.03 | JT | | | | | | | | |
| 2 | GENERAL REVISIONS INCL NAME CHANGE | 31.5.05 | AL | | | | | | | | |



THE UNIVERSITY OF
NEW SOUTH WALES

HPI

| DESIGNED | APPROVED | SCALE(S) | ZONE(S) |
|--------------------------|----------|------------------------------|---------|
| JT/AL | DB | 1:50 in A3 | |
| CAD FILE NAME PBCE-20 | | PAPER DRAWING ID PBCE-20b | |