

# NSW Standard Project

## Room Data Sheets

<b>Department</b>	<b>Standard Components</b>	<b>Room Tag: 4770</b>
<b>Room Name</b>	<b>Waiting - Sub</b>	<b>Room Code: WAIT-SUB</b>
<b>Area</b>	5.0 M2	
<b>No of Rooms</b>	1	
<b>Subtotal of Area</b>	5.0 M2	
<b>Hours of Operation</b>	24 Hours	
<b>Occupancy</b>	Up to 5	
<b>Also covers these Rooms</b>		
<b>Description/ Special Requirements</b>	A satellite area for visitors and patients to wait, located within Departmental Units, close to Procedures/ Imaging rooms or Offices. The Sub-Waiting area should accommodate parking space for wheelchairs as required.	
<b>Amendment</b>	07.04.05, - First Draft	

### Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		vinyl also acceptable
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH		or floor vinyl coved skirting
3000	Wall finish	Paint	Acrylic, washable			
4030	Wall protection	Composite	Prefinished PVC	Corner guards to 900 AFFL		as required, Equal to Acrovyn
4020	Wall protection	Composite	Prefinished PVC	Crash rail at 900 AFFL		Equal to Acrovyn

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection
2700	Chair: waiting	Furniture/ Fitting	3	4	some with arms, space for wheelchair
13120	Rack: magazine/ pamphlet	Furniture/ Fitting	3	1	
22800	Table: low	Furniture/ Fitting	3	2	small

### Fixtures, Equipment and associated Services (FE)

#### Services

ID	Description	Service Category	Qty	Remarks
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9000	GPO: Single	Power	1	