#### **Sharjah Healthcare City - Health Facility Guidelines** Milestone: Current

**Room Data Sheets** 

**Department Room Name** 

**Standard Components** 1 Bed Room - Mental Health Room Tag:

1050

**Room Code:** 

1 BR-MH-SJ

**Net Room Area Briefed** 

No of Rooms

**Subtotal of Briefed Area** 

28.00 M2

28.0 M2

**Hours of Operation** 

Occupancy

24 Hours

Also covers these

Rooms

1 patient; 1-2 staff; 1-2 visitors

Description/ **Special Requirements**  Single bed room for general mental health patients; natural light and outlook is essential; The room is to be internally lockable with a master keyed lock from the outside; All fittings are to have a breaking strain of not more than 15kg. All glazing (including external windows) is to comply with standards for Mental Health Facilities.

The 1 Bed Room - Mental Health may vary in configuration to suit different Ensuite options including:

- 1 BR-MH-A Inboard Ensuite
- 1 BR-MH-B Shared Ensuite, access from corridor
- 1 BR-MH-C Back-to-Back Ensuites

Acoustics: Acoustic privacy is required.

**Body Protected Electrical Area** 

**Amendment** 

13.03.2014 First issue

## **Room Fabric and outline specifications**

| ID   | Fabric          | Material                    | Finish               | Specification                  | Selection | Remarks  |
|------|-----------------|-----------------------------|----------------------|--------------------------------|-----------|--|
| 5010 | Ceiling         | Plasterboard                | Paint,<br>washable   | Flush set, suspended           |           |  |
| 6025 | Cornice         | Aluminium                   | Powdercoat           | shadow line                    |           |  |
| 9006 | Doors           | Solid Core/<br>Safety glass | Paint                | Single leaf, observation panel |           | 1150mm clear inward & outward opening; lockable                          |
| 1149 | Floor finish    | Carpet                      | 90/10 Wool/<br>Nylon | Broadloom, 48 oz.              |           | Vinyl also acceptable  |
| 7045 | Observation     | Safety glass                | Powdercoat           | Internal window                |           | with integral Venetians,<br>control to corridor side,<br>window optional |
| 2010 | Skirting        | Vinyl                       | Prefinished          | Feather edged,<br>150 mmH      |           | or floor vinyl coved skirting  |
| 3067 | Wall finish     | Laminate                    | Prefinished          |                                |           | for TV where required  |
| 3000 | Wall finish     | Paint                       | Acrylic,<br>washable |                                |           |  |
| 3092 | Wall protection | MDF                         | Laminate             | Bed protection wall panel      |           |  |
| 7001 | Windows         |                             |                      |                                |           | Essential  |

### Fittings and Furniture (FF)

| ID              | Description |                 | Category  | Group | Qty    | Selection / Remarks           |
|-----------------|-------------|-----------------|-----------|-------|--------|-------------------------------|
|                 |             | Provided by TAH | HPI for : | ı     | ssue N | No: 1 Print Date: 20 May 2014 |
| SHCC Guidelines |             | Sharjah Domain  |           | Iss   | sue Da | te: 1 Apr 2014 Page 1 of 2    |

# **Sharjah Healthcare City - Health Facility Guidelines**

Milestone: Current

**Room Data Sheets** 

Department Standard Components Room Tag: 1050
Room Name 1 Bed Room - Mental Health Room Code: 1 BR-MH-SJ

| ID    | Description              | Category           | Group                | Qty | Selection / Remarks                      |  |  |
|-------|--------------------------|--------------------|----------------------|-----|--|--|--|
| 690   | Bed: domestic, single    | Furniture/ Fitting | 3                    | 1   |  |  |  |
| 1260  | Blind: holland           | Metalwork          | 3                    | 1   | to external windows, curtains optional   |  |  |
| 2010  | Chair: lounge, foam type | Furniture/ Fitting | Furniture/ Fitting 3 |     | patient & visitors chairs                |  |  |
| 2655  | Chair: visitor           | Furniture/ Fitting | 3                    | 1   | plastic light weight                     |  |  |
| 4330  | Cupboard: wardrobe       | Furniture/ Fitting | 1                    | 1   | with fixed shelves                       |  |  |
| 4900  | Curtain track: window    | Metalwork          | 1                    | 1   | to external window, optional             |  |  |
| 5910  | Desk: built in           | Furniture/ Fitting | 1                    | 1   | laminate                                 |  |  |
| 12750 | Lounge: 2 seat           | Furniture/ Fitting | 3                    | 1   | foam type                                |  |  |
| 13730 | Mirror: acrylic          | Metalwork          | 1                    | 1   | optional                                 |  |  |
| 17360 | Pinboard: fabric covered | Furniture/ Fitting | 1                    | 1   | (velcro compatible) or artwork, optional |  |  |
| 22690 | Table: bedside           | Furniture/ Fitting | 3                    | 1   | heavy                                    |  |  |
| 22801 | Table: coffee            | Furniture/ Fitting | 3                    | 2   | soft furnishings                         |  |  |

# Fixtures, Equipment and associated Services (FE)

| ID   | Description             | Group | Qty | Ele | Data | CdW | HtW | <b>VmW</b> | Тар | Dns | Gas | Selection / Remarks |
|------|-------------------------|-------|-----|-----|------|-----|-----|------------|-----|-----|-----|---------------------|
| 3031 | Television: flat screen | 3     | 1   | yes |      |     |     |            |     |     |     |                     |

### **Services**

| ID   | Description                 | Service Category | Qty | Selection / Remarks                                |
|------|-----------------------------|------------------|-----|--|
| 1090 | TV: MATV                    | Communications   | 1   |  |
| 5000 | Airconditioning             | HVAC             |     |  |
| 6000 | General fluorescent         | Lighting         |     |  |
| 6065 | Special: night lights       | Lighting         |     | blue   |
| 6050 | Special: reading            | Lighting         |     | vandal proof                                       |
| 8000 | Patient/ Staff call         | Nurse Call       | 1   | + indicator button & light                         |
| 8010 | Staff/ Nurse assist call    | Nurse Call       | 1   | + indicator button & light, Duress call (optional) |
| 9040 | Body protected              | Power            |     |  |
| 9015 | GPO: Cleaner                | Power            | 1   |  |
| 9000 | GPO: Single                 | Power            | 3   | 1 over desk; 2 on wall                             |
| 9000 | GPO: Single                 | Power            | 4   | 2 to each side of bed                              |
| 9060 | GPO: Special: for equipment | Power            | 1   | TV   |