

SHARJAH HEALTHCARE CITY STANDARD COMPONENTS

Room Layout Sheet

Room Name Calibration - Testing Shop

RLS Room Code CAL-TEST-30-SJ
RDS Room Code CAL-TEST-30-SJ

- AS

COM/2

CR

DDG

DHT

DS

DSA

DP

GPO/2

GPO/2EP

LS/R

LS/P

MA

N2O

O2

OP

S

SC

SK4

V1
- ADJUSTABLE SHELF

COMMUNICATIONS OUTLET - DOUBLE

CRASH RAIL

DISPENSER - DISPOSABLE GLOVE

DISPENSER - HAND TOWEL

DISPENSER - SOAP

DISPENSER - SOAP ANTISEPTIC

DOOR AND DOOR FRAME PROTECTION

GENERAL POWER OUTLET - DOUBLE

EMERGENCY POWER OUTLET - DOUBLE

LIGHT SWITCH - ROOM

LIGHT SWITCH - PELMET TASK LIGHT

MEDICAL AIR

NITROUS OXIDE

OXYGEN


OBSERVATION PANEL

SUCTION


SCAVENGE OUTLET

FLOOR VINYL COVED SKIRTING


VINYL FLOORING, STANDARD SLIP RESISTANT




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4

REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY	REV	DESCRIPTION	DATE	BY
1	FIRST ISSUE	14.03.2014	AA								

 SHCC Guidelines	Sharjah Health Facility Guidelines at: www.healthdesign.com.au/shccfig Editable version of Standard Components on Health Facility Briefing System (HFBS) at: www.healthdesign.com.au Provided by TA4PI		DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
			CC	AA/DB	30.12.13	1:50 in A3	1 of 1
	CAD FILE NAME CAL-TEST-30-SJ		PAPER DRAWING ID CAL-TEST-30-SJ		ISSUE 1		