

Room Layout Sheet

Room Name

RLS Room Code

CHPT-D-SJ

RDS Room Code

CHPT-D-SJ

CG	CORNER GUARD
COH	COAT HOOK
DP	DOOR AND DOOR FRAME PROTECTION
EC	EMERGENCY CALL
GR	GRAB RAIL
LS/R	LIGHT SWITCH - ROOM
NA	NURSE ASSIST CALL
NC	PATIENT/NURSE CALL
SK4	FLOOR VINYL COVERED SKIRTING
V1	VINYL FLOORING, STANDARD SLIP RESISTANT

Technical drawing of a cubicle showing dimensions and components. The drawing includes a diamond-shaped icon with the numbers 1, 2, 3, and 4 in the quadrants. The cubicle dimensions are 2075 mm in height and 2210 mm in width. The floor is labeled FLOOR=V1 and the cubicle number is 4M2. The drawing shows a laminated seat, a mirror, and an optional chair in lieu of bench seat. The cubicle is equipped with a track and curtain (or cubicle door - option 2). The drawing also shows the EC AT 1600 AFFL (SHARED) and CG XLS/R AT 1100 AFFL. The drawing includes labels for COH, GR, and G OF WALL.

EC AT 1600 AFFL (SHARED)

CG

CG XLS/R AT 1100 AFFL

2075

FLOOR=V1

4M2

COH COH GR

2210

400

G OF WALL

G OF WALL

CUBICLE SCREEN TRACK + CURTAIN (OR CUBICLE DOOR - OPTION 2)

LAMINATED SEAT


MIRROR

OPTIONAL CHAIR IN LIEU OF BENCH SEAT


The floor plan for the 4M2 cabin (FLOOR=V1) is a rectangular layout with the following specifications:

- Dimensions:** The cabin is 2260 units wide and 2050 units high.
- Entrances:** There is a main entrance at the bottom center labeled "920 CLEAR OPENING" and a "SECOND DOOR (OPTIONAL)" at the top right.
- Seating:** The cabin features "LAMINATED SEAT" and an "OPTIONAL CHAIR IN LIEU OF BENCH SEAT".
- Other Features:** A "MIRROR" is located on the right wall, and a "GR" (grille) is positioned near the bottom right corner.
- Clearance:** A "920 CLEAR OPENING" is also indicated at the top center.
- Orientation:** A diamond-shaped orientation marker is located to the left of the cabin, with the number 1 at the top, 2 on the right, 3 at the bottom, and 4 on the left.


PLAN




ELEVATION 2



ELEVATION 2



ELEVATION 4



ELEVATION 4

[illegible]

SHCC Guidelines

Sharjah Health Facility Guidelines at:
www.healthdesign.com.au/shcchfg
 Editable version of Standard Components on
 Health Facility Briefing System (HFBS) at:
www.healthdesign.com.au
 Provided by TAHPI

DESIGNED	APPROVED	DATE	SCALE(S)	SHEET
CC	DB	30.12.13	1:50 in A3	1 of 1
CAD FILE NAME CHPT-D-S		PAPER DRAWING ID CHPT-D-S		ISSUE 1