Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Standard Components 2394 Department Room Tag: Equipment Clean-Up, 10m2 **Room Code: Room Name** ECL-10-SJ

Net Room Area Briefed

10.0 M2

No of Rooms

Subtotal of Briefed Area

10.00 M2

Hours of Operation

24 Hours

Occupancy

1 - 2

Also covers these Rooms

Description/ **Special Requirements**

The Equipment Clean-Up Room is used for cleaning and maintaining of equipment used in the Unit. Storage may be required for holding cleaned equipment and spares. Equipment may also be recharged in this room. Natural light is desirable.

Amendment

13.03.2014 First issue

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5021	Ceiling	Plasterboard	Paint,	Water resistant,		
			washable	flush set,		
				suspended		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8040	Door protection	Composite	Prefinished PVC	To door frame		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
9004	Doors	Solid Core/	Paint	Single leaf,		1100mm clear opening,
		Glass		observation panel		lockable
1020	Floor finish	Vinyl, non-slip	Safety	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
3052	Wall finish	Vinyl	Prefinished	Wall vinyl to 1500AFFL		

Fittings and Furniture (FF)

ID	Description	ion Category		Qty	Selection / Remarks
1010	Bench: stainless steel	Metalwork	1	1	with wet edge, inset sink
4360	Cupboard: door ht adj. shelves	Furniture/ Fitting	3	1	optional, lockable
6152	Dispenser: disposable glove	Furniture/ Fitting	2	1	
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to basin
6156	Dispenser: soap	Furniture/ Fitting	2	1	to basin
6158	Dispenser: soap antiseptic	Furniture/ Fitting	2	1	to basin
19820	Shelf: SS, under	Metalwork	1	1	under bench
20000	Shelving unit: adjustable	Furniture/ Fitting	1	1	over bench
23950	Trolley	Furniture/ Fitting	3	2	optional
24105	Waste bin: fliptop, 20 Litre	Furniture/ Fitting	3	1	under bench

Issue Date: 1 Apr 2014

Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Department Standard Components Room Tag: 2394

Room Name Equipment Clean-Up, 10m2 Room Code: ECL-10-SJ

ID	Description	Category	Group	Qty	Selection / Remarks
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	to basin

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	%mW	Тар	Dns	Gas	Selection / Remarks
2800	Basin: handwash, Type B	1	1			yes		yes	yes	yes		Refer to BHWS-B (sim)
45601	Hose: spray	1	1			yes	yes					optional
49005	Sink: 500x450x300D	1	2			yes	opt	opt	yes	yes		hot water

Services

ID	Description	Service Category	Qty	Selection / Remarks
5019	Exhaust	HVAC		
5015	Ventilation	HVAC		
4033	Floor waste	Hydraulics	1	
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	2	

SHCC Guidelines

Provided by TAHPI for:

Sharjah Domain

Issue No: 1

Print Date: 20 May 2014

Sharjah Domain

Issue Date: 1 Apr 2014

Page 2 of 2