# Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

**Room Data Sheets** 

DepartmentStandard ComponentsRoom Tag:2590Room NameInterview Room - Family/ LargeRoom Code:INTF-SJ

**Net Room Area Briefed** 

12.0 M2

No of Rooms Subtotal of Briefed Area

12.00 M2

12.00 1012

**Hours of Operation** 

24 Hours

Occupancy

.

Also covers these Rooms

Up to 6 persons

Description/ Special Requirements A larger Interview Room to undertake confidential discussion and/ or counselling between staff, patients and or family members where required. The Interview Room may also be used as a multipurpose room for small staff groups or discussions. An external outlook is desirable. The Interview Room - Family may also be used for mental health patients. If used for this purpose an observation window (toughened glass with integral venetians) should be installed.

Acoustics: Sound attenuation level - high; Acoustic privacy required.

Additional Design Considerations:

- A second egress door may be required for staff safety and security

**Amendment** 

13.03.2014 First issue

### **Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		Use set plasterbpard ceiling for mental health applications
6025	Cornice	Aluminium	Powdercoat	shadow line		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
8040	Door protection	Composite	Prefinished PVC	To door frame		
9004	Doors	Solid Core/ Glass	Paint	Single leaf, observation panel		920mm clear opening, lock set
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		Vinyl also acceptable
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		or floor vinyl coved skirting
3000	Wall finish	Paint	Acrylic, washable			
7001	Windows					Desirable

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
350	Artwork	Furniture/ Fitting	3	1	optional
1250	Blind: Venetian	Metalwork	3	2	1 to each window if provided
1252	Blind: Venetian integral	Furniture/ Fitting	1	2	1 to each window if provided and for mental health use

# Sharjah Healthcare City - Health Facility Guidelines

Milestone: Current

**Room Data Sheets** 

DepartmentStandard ComponentsRoom Tag:2590Room NameInterview Room - Family/ LargeRoom Code:INTF-SJ

ID	Description	Category	Group	Qty	Selection / Remarks
2655	Chair: visitor	Furniture/ Fitting	3	6	
17385	Pinboard/ whiteboard combination	Furniture/ Fitting	2	1	optional
22800	Table: low	Furniture/ Fitting	3	2	
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	

## Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	<b>V</b> mW	Тар	Dns	Gas	Selection / Remarks
54510	Telephone: handset, standard	3	1		yes							on table

#### **Services**

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	2	1 outlet on each panel for telephone
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6046	Indirect lighting	Lighting		optional
9001	GPO: Double	Power	3	
10005	Duress alarm	Security	1	

SHCC Guidelines

Provided by TAHPI for:

Sharjah Domain

Issue No: 1

Print Date: 20 May 2014

Sharjah Domain

Issue Date: 1 Apr 2014

Page 2 of 2