

Department	Standard Components	Room Tag:	2640
Room Name	Lecture Room, 75m2	Room Code:	LEC-75-SJ
Net Room Area Briefed	75.0 M2		
No of Rooms	1		
Subtotal of Briefed Area	75.00 M2		
Hours of Operation	8am to 8pm, daily		
Occupancy	Up to 65		
Also covers these Rooms			
Description/ Special Requirements	<p>The Lecture Rooms will accommodate educational sessions for staff and other groups as required. Access and space should be provided for disabled persons. Seating to the rear of the room may be raised on a platform. The room should be located in close proximity to Staff/ Public amenities.</p> <p>Acoustics: Sound attenuation level high; Acoustic privacy required.</p>		
Amendment	13.03.2014 First issue		

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9125	Doors	Solid Core/ Glass	Paint	1 1/2 leaf, observation panel		1400mm clear opening, lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		
3000	Wall finish	Paint	Acrylic, washable			

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1460	Bracket: wall	Metalwork	1	4	for speakers
1950	Chair: ergonomic, high	Furniture/ Fitting	3	1	
2500	Chair: tablet arm	Furniture/ Fitting	3	60	in banks of 5 chairs, with space for wheelchairs
3350	Clock: battery operated	Furniture/ Fitting	3	1	
24400	Whiteboard	Furniture/ Fitting	2	1	optional

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	Cd	WH	TW	/m	WT	Ap	Dns	Gas	Selection / Remarks
31100	Lectern	2	1	yes	opt	—	—	—	—	—	—	—	—	data required, with microphones
41350	Projection screen: ceiling, auto	1	1	yes	—	—	—	—	—	—	—	—	—	

Department
Room Name

Standard Components
Lecture Room, 75m2

Room Tag: 2640
Room Code: LEC-75-SJ

ID	Description	Group	Qty	Ele	Data	Cd	WH	T	W	m	WT	Tap	Dns	Gas	Selection / Remarks
41400	Projector	2	1	yes	___	___	___	___	___	___	___	___	___	___	ceiling mounted
50950	Speaker: wall mounted	1	4	yes	___	___	___	___	___	___	___	___	___	___	
54510	Telephone: handset, standard	3	1	___	yes	___	___	___	___	___	___	___	___	___	wall phone outside room entry

Services

ID	Description	Service Category	Qty	Selection / Remarks
1000	Telephone: PABX	Communications	1	wall phone outside room entry
1090	TV: MATV	Communications	1	
1006	Voice / Data outlet: double	Communications	3	1 in ceiling for projector
5000	Airconditioning	HVAC		
6110	Downlights: dimmable	Lighting		for audiovisual presentations
6000	General fluorescent	Lighting		
9040	Body protected	Power		as required
9015	GPO: Cleaner	Power	1	
9001	GPO: Double	Power	6	
9060	GPO: Special: for equipment	Power	1	projector, ceiling mounted