Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Print Date: 20 May 2014

Page 1 of 2

Issue No: 1

Issue Date: 1 Apr 2014

Department Standard Components Room Tag: 2790

Room Name Lounge - Parent, 12m2 Room Code: LNPA-12-SJ

Net Room Area Briefed 12.0 M2

No of Rooms

Subtotal of Briefed Area 12.00 M2

Hours of Operation 24 Hours

Occupancy Up to 6 visitors

Also covers these Rooms

Description/ Special Requirements The Parent Lounge provides a change of environment away from clinical areas for parents or visitors to patients in the Paediatric/ Adolescent Unit. An external outlook is desirable.

Acoustics: Sound attenuation level - Medium; Acoustic privacy required.

Amendment 14.03.2014 - First Issue 24.03.2014 - General revision

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
8040	Door protection	Composite	Prefinished PVC	To door frame		
9002	Doors	Solid Core/ Glass	Paint	Single leaf, half glazed		920 mm clear opening, small leaf optional
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		Vinyl also acceptable
7030	Observation	Alum/ Glass	Powdercoat	Internal window, door height		optional
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		or floor vinyl coved skirting
3000	Wall finish	Paint	Acrylic, washable			
7001	Windows					desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
350	Artwork	Furniture/ Fitting	3	2	optional
1250	Blind: Venetian	Metalwork	3	1	to internal windows, optional
23410	Bracket: television, wall mount	Metalwork	3	1	optional
2000	Chair: lounge	Furniture/ Fitting	3	5	
4900	Curtain track: window	Metalwork	1	1	
5410	Curtain: window, drapes	Furniture/ Fitting	3	1	or blinds
22800	Table: low	Furniture/ Fitting	3	3	

Sharjah Healthcare City - Health Facility Guidelines

Milestone: Current

Room Data Sheets

Print Date: 20 May 2014

Page 2 of 2

Issue No: 1

Issue Date: 1 Apr 2014

Department Room Name

Standard Components Lounge - Parent, 12m2 Room Tag: Room Code: 2790 LNPA-12-SJ

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	/ mW	Тар	Dns	Gas	Selection / Remarks
54510	Telephone: handset, standard	3	1		yes							on table, optional
3031	Television: flat screen	3	1	yes								on wall bracket, optional

Services

ID	Description	Service Category	Qty	Selection / Remarks
1090	TV: MATV	Communications	1	optional
1006	Voice / Data outlet: double	Communications	1	1 outlet for telephone
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6046	Indirect lighting	Lighting		optional
9000	GPO: Single	Power	4	
9000	GPO: Single	Power	1	for TV