Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Department Room Name	Standard Components Meeting Room - Living Skills, 20m2	Room Tag: Room Code:	2925 MEET-LS-20-SJ							
Net Room Area Briefed	20.0 M2									
No of Rooms	1									
Subtotal of Briefed Area	20.00 M2	20.00 M2								
Hours of Operation	Available 24 Hours									
Occupancy	Up to 10									
Also covers these Rooms										
Description/ Special Requirements	The Meeting Room - Living Skills will accommodate living skills training sessions for rehabilitation patients, including computer skills training.									
	Acoustics: Sound attenuation level high; Acc	oustic privacy require	ed.							
	Body Protected electrical area									
Amendment	14.03.2014 - First Issue									

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9125	Doors	Solid Core/ Glass	Paint	1 1/2 leaf, observation panel		920mm/ 1400mm clear opening, lockable; 2nd leaf optional
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
3022	Wall finish	Resinate, 6mm	Prefinished	Splashback		to sink, tiles also acceptable
7001	Windows					desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	with inset sink
1250	Blind: Venetian	Metalwork	3	1	to window, if provided
1650	Chair: client	Furniture/ Fitting	3	8	
2100	Chair: ergonomic, office	Furniture/ Fitting	3	2	to computer workstations
3350	Clock: battery operated	Furniture/ Fitting	3	1	
4360	Cupboard: door ht adj. shelves	Furniture/ Fitting	1	1	lockable
4420	Cupboard: under bench, lockable	Furniture/ Fitting	1	1	with adjustable shelf
4470	Cupboard: wall mounted, lockable	Furniture/ Fitting	1	1	over bench unit, optional
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to sink

 SHCC Guidelines
 Provided by TAHPI for :
 Issue No: 1
 Print Date:
 20 May 2014

 Sharjah Domain
 Issue Date: 1 Apr 2014
 Page 1 of 2

Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

	Department Room Name	Standard Components Meeting Room - Living			Room Tag: Room Code:	2925 MEET-LS-20-SJ
ID	Description	Category	Group	Qty	Selection / Remarks	;
6156	Dispenser: soap	Furniture/ Fitting	2	1	to sink	
17360	Pinboard: fabric covered	Furniture/ Fitting	2	1		
22620	Table: adjustable height	Furniture/ Fitting	3	2	900 x 900	
22615	Table: computer	Furniture/ Fitting	3	2		
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1		
24400	Whiteboard	Furniture/ Fitting	2	1		

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	V mW	Тар	Dns	Gas	Selection / Remarks
11400	Computer: PC & monitor	3	2	yes	yes							as required
47890	Sink & drainer: single, 930mmL	1	1			yes	opt	opt	yes	yes		warm water
54510	Telephone: handset, standard	3	1		yes							wall telephone

Services

ID	Description	Service Category	Qty	Selection / Remarks
1000	Telephone: PABX	Communications	1	wall phone
1090	TV: MATV	Communications	1	
1006	Voice / Data outlet: double	Communications	3	
5000	Airconditioning	HVAC		
6110	Downlights: dimmable	Lighting		for audio-visual presentations
6000	General fluorescent	Lighting		
9040	Body protected	Power		
9015	GPO: Cleaner	Power	1	
9001	GPO: Double	Power	7	