# Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

**Room Data Sheets** 

Print Date: 20 May 2014

Page 1 of 2

Issue No: 1

Issue Date: 1 Apr 2014

Department Standard Components Room Tag: 2970

Room Name Meeting Room - Medium/Large, 15m2 Room Code: MEET-L-15-SJ

**Net Room Area Briefed** 

15.0 M2

No of Rooms

•

**Subtotal of Briefed Area** 

15.00 M2

Hours of Operation

Available 24 Hours

Occupancy

Up to 12

Also covers these Rooms

Description/

**Special Requirements** 

The Medium & Large Meeting Rooms will accommodate staff and other meetings. It is a multipurpose room also used for tutorials, staff meetings, training or educational purposes. The room may be located in close proximity to a Beverage Bay.

Acoustics: Sound attenuation level high; Acoustic privacy required.

**Amendment** 

14.03.2014 - First Issue

#### **Room Fabric and outline specifications**

| ID     | Fabric          | Material             | Finish               | Specification                  | Selection | Remarks                       |
|--------|-----------------|----------------------|----------------------|--------------------------------|-----------|-------------------------------|
| 5060   | Ceiling         | Acoustic             | Prefinished          | Drop-in tiles,<br>600x1200     |           |                               |
| 6030   | Cornice         | Aluminium            | Powdercoat           | 24mm shadow angle              |           |                               |
| 8000   | Door protection | Vinyl                | Prefinished          | Kickplate, 300mm high          |           |                               |
| 9001   | Doors           | Solid Core           | Paint                | Single leaf                    |           | egress door, optional         |
| 9004   | Doors           | Solid Core/<br>Glass | Paint                | Single leaf, observation panel |           | 920mm clear opening, lockable |
| 1149   | Floor finish    | Carpet               | 90/10 Wool/<br>Nylon | Broadloom, 48 oz.              |           |                               |
| 949496 | Skirting        | Timber               | Paint                | 150mmH x 20mm thick, nominal   |           |                               |
| 3000   | Wall finish     | Paint                | Acrylic, washable    |                                |           |                               |
| 7001   | Windows         |                      |                      |                                |           | desirable                     |

### Fittings and Furniture (FF)

| Description                      | Category   | Group   | Qty   | Selection / Remarks  |
|----------------------------------|--|---|---|--|
| Bench: laminate                  | Furniture/ Fitting   | 1   | 1   | optional   |
| Blind: Venetian                  | Metalwork  | 3 1   |   | if window provided, 'grey-out' for audiovisual presentations   |
| Chair: meeting room              | Furniture/ Fitting   | 3   | 12  | may be stackable   |
| Clock: battery operated          | Furniture/ Fitting   | 3   | 1   |  |
| Cupboard: under bench, lockable  | Furniture/ Fitting   | 1   | 1   | optional   |
| Cupboard: wall mounted, lockable | Furniture/ Fitting   | 1   | 1   | optional   |
| Pinboard: fabric covered         | Furniture/ Fitting   | 2   | 1   |  |
| Table: meeting                   | Furniture/ Fitting   | 3   | 2   | smaller tables may be located together   |
| Waste bin: paper, 20 Litre       | Furniture/ Fitting   | 3   | 1   |  |
|                                  | Bench: laminate Blind: Venetian Chair: meeting room Clock: battery operated Cupboard: under bench, lockable Cupboard: wall mounted, lockable Pinboard: fabric covered Table: meeting | Bench: laminate Furniture/ Fitting Blind: Venetian Metalwork  Chair: meeting room Furniture/ Fitting  Clock: battery operated Furniture/ Fitting  Cupboard: under bench, lockable Furniture/ Fitting  Cupboard: wall mounted, lockable Furniture/ Fitting  Pinboard: fabric covered Furniture/ Fitting  Table: meeting Furniture/ Fitting | Bench: laminate Furniture/ Fitting 1 Blind: Venetian Metalwork 3  Chair: meeting room Furniture/ Fitting 3  Clock: battery operated Furniture/ Fitting 3  Cupboard: under bench, lockable Furniture/ Fitting 1  Cupboard: wall mounted, lockable Furniture/ Fitting 1  Pinboard: fabric covered Furniture/ Fitting 2  Table: meeting Furniture/ Fitting 3 | Bench: laminate Furniture/ Fitting 1 1 Blind: Venetian Metalwork 3 1 Chair: meeting room Furniture/ Fitting 3 12 Clock: battery operated Furniture/ Fitting 3 1 Cupboard: under bench, lockable Furniture/ Fitting 1 1 Cupboard: wall mounted, lockable Furniture/ Fitting 1 1 Pinboard: fabric covered Furniture/ Fitting 2 1 Table: meeting Furniture/ Fitting 3 2 |

# **Sharjah Healthcare City - Health Facility Guidelines**

**Room Data Sheets** 

Milestone: Current

**Standard Components** 2970 Department Room Tag: Meeting Room - Medium/Large, 15m2 **Room Name** Room Code: MEET-L-15-SJ

| ID    | Description | Category           | Group | Qty | Selection / Remarks |
|-------|-------------|--------------------|-------|-----|---------------------|
| 24400 | Whiteboard  | Furniture/ Fitting | 2     | 1   |                     |

# Fixtures, Equipment and associated Services (FE)

| ID    | Description                      | Group | Qty | Ele | <b>Data</b> | CdW | HtW | <b>/</b> mW | Тар | Dns | Gas | Selection / Remarks      |
|-------|----------------------------------|-------|-----|-----|-------------|-----|-----|-------------|-----|-----|-----|--------------------------|
| 41350 | Projection screen: ceiling, auto | 1     | 1   | yes |             |     |     |             |     |     |     |                          |
| 41400 | Projector                        | 3     | 1   | yes |             |     |     |             |     |     |     | on table, optional       |
| 54510 | Telephone: handset, standard     | 3     | 1   |     | yes         |     |     |             |     |     |     | immediately outside room |
|       |                                  |       |     |     |             |     |     |             |     |     |     | entry                    |

### Services

| ID    | Description                      | Service Category | Qty | Selection / Remarks           |  |  |  |
|-------|----------------------------------|------------------|-----|-------------------------------|--|--|--|
| 1387  | Floor services box: flush mount  | Communications   | 1   | optional                      |  |  |  |
| 1000  | Telephone: PABX                  | Communications   | 1   | wall phone outside room entry |  |  |  |
| 1090  | TV: MATV                         | Communications   | 1   |                               |  |  |  |
| 1130  | Vetel: video-conferencing outlet | Communications   | 1   | optional                      |  |  |  |
| 1006  | Voice / Data outlet: double      | Communications   | 2   |                               |  |  |  |
| 1006  | Voice / Data outlet: double      | Communications   | 1   | floor services box, optional  |  |  |  |
| 5000  | Airconditioning                  | HVAC             |     |                               |  |  |  |
| 6110  | Downlights: dimmable             | Lighting         |     | for audiovisual presentations |  |  |  |
| 6000  | General fluorescent              | Lighting         |     |                               |  |  |  |
| 9015  | GPO: Cleaner                     | Power            | 1   | as required                   |  |  |  |
| 9001  | GPO: Double                      | Power            | 2   | floor services box, optional  |  |  |  |
| 9001  | GPO: Double                      | Power            | 5   | one above bench if provided   |  |  |  |
| 10005 | Duress alarm                     | Security         | 1   | optional                      |  |  |  |

SHCC Guidelines

Provided by TAHPI for: Sharjah Domain

Print Date: 20 May 2014 Page 2 of 2 Issue Date: 1 Apr 2014

Issue No: 1