## Sharjah Healthcare City - Health Facility Guidelines

**Room Data Sheets** 

Milestone: Current

DepartmentStandard ComponentsRoom Tag:3060Room NameMortuary - Exit LobbyRoom Code:MOR-EX-SJ

**Net Room Area Briefed** 

7.0 M2

No of Rooms

1

**Subtotal of Briefed Area** 

7.00 M2

**Hours of Operation** 

24 Hours

Occupancy

1 - 2 intermittently

Also covers these Rooms

Description/

**Special Requirements** 

Exit from Mortuary Cool Store area to the loading dock area. Entry to this area by authorised personnel. Handwashing facilities should be located in close proximity.

**Amendment** 

14.03.2014 - First Issue

### Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5030	Ceiling	Plasterboard	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
8040	Door protection	Composite	Prefinished PVC	To door frame		
9110	Doors	Solid Core	Paint	1 1/2 leaf		1400mm clear opening, lockable
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
4030	Wall protection	Composite	Prefinished PVC	Corner guards to 900 AFFL		as required

#### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
2100	Chair: ergonomic, office	Furniture/ Fitting	3	1	to desk, if provided
3400	Coathook	Metalwork	1	2	
5900	Desk	Furniture/ Fitting	3	1	optional, small
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	900 x 900, optional

### Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	<b>VmW</b>	Тар	Dns	Gas	Selection / Remarks
54510	Telephone: handset, standard	3	1		yes							to desk, optional

#### **Services**

ID	Description		Service Category	Qty	Selection / Rema		
1006	Voice / Data outlet: double		Communications	1	1 outlet for telephone		
Provided by TA			HPI for:		Issue No: 1	Print Date:	20 May 2014
SHCC Guidelines		Sharjah Domain		ls	Issue Date: 1 Apr 2014		Page 1 of 2

# Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

DepartmentStandard ComponentsRoom Tag:3060Room NameMortuary - Exit LobbyRoom Code:MOR-EX-SJ

ID	Description	Service Category	Qty	Selection / Remarks		
5000	Airconditioning	HVAC				
6000	General fluorescent	Lighting				
9001	GPO: Double	Power	2			

Provided by TAHPI for : Sharjah Domain

Issue No:1 Print Date: 20 May 2014 Issue Date: 1 Apr 2014 Page 2 of 2