

Department	Standard Components	Room Tag:	3240
Room Name	Office - Write-up Bay, 1m2	Room Code:	OFF-WI-1-SJ
Net Room Area Briefed	1.0 M2		
No of Rooms	1		
Subtotal of Briefed Area	1.00 M2		
Hours of Operation	24 Hours		
Occupancy	1		
Also covers these Rooms			
Description/ Special Requirements	The Write-up Bay provides a write-up bench for use by members of the patient care team. In this space the User may review and write-up patient records, enter patient data on computer and make telephone calls.		
Amendment	14.03.2014 - First Issue		

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		carpet also acceptable
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		or timber skirting over carpet
3000	Wall finish	Paint	Acrylic, washable			

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	720AFFL; 900AFFL also acceptable
2100	Chair: ergonomic, office	Furniture/ Fitting	3	1	or high ergonomic chair for 900H bench
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	above bench
20000	Shelving unit: adjustable	Furniture/ Fitting	1	1	above bench, optional
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	Cd	WH	TW	N/m	WTap	Dns	Gas	Selection / Remarks
11400	Computer: PC & monitor	3	1	yes	yes	___	___	___	___	___	___	___	optional
54510	Telephone: handset, standard	3	1	___	yes	___	___	___	___	___	___	___	

Services

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	1	
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6055	Special: task light, built in	Lighting		under O/H shelving unit
9001	GPO: Double	Power	2	