Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Standard Components Department Room Tag: 3740 Reception (Emergency), 20m2 **Room Name Room Code: REC-E-SJ**

Net Room Area Briefed

20.0 M2

No of Rooms

Subtotal of Briefed Area

20.00 M2

Hours of Operation

24 Hours

Occupancy

Up to 3 staff members

Also covers these

Rooms

Description/ **Special Requirements**

A Reception area for the Emergency Unit where patients/ visitors can be received, located in close proximity to Triage and waiting areas.

Additional Design Requirements:

- Security glazing required

Amendment

13.03.2014 - First Issue 24.03.2014 - General revision

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
5007	Ceiling	Plasterboard	Paint	Bulkhead		optional
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9004	Doors	Solid Core/ Glass	Paint	Single leaf, observation panel		920mm clear opening, lockable with safety glass from Waitng area
9002	Doors	Solid Core/ Glass	Paint	Single leaf, half glazed		920mm clear opening, lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		
2160	Skirting	Laminate	Prefinished	150mmH		to Reception desk, external aspect
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		to carpeted area
3000	Wall finish	Paint	Acrylic, washable			

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	behind reception desk, 900mmH, open under part
1110	Bench: laminate, writing	Furniture/ Fitting	1	1	
2100	Chair: ergonomic, office	Furniture/ Fitting	3	3	
3350	Clock: battery operated	Furniture/ Fitting	3	1	
4230	Counter top	Furniture/ Fitting	1	1	laminate/ resinate
4360	Cupboard: door ht adj. shelves	Furniture/ Fitting	1	1	lockable
4420	Cupboard: under bench, lockable	Furniture/ Fitting	1	1	under part of high bench

Sharjah Healthcare City - Health Facility Guidelines

Room Data Sheets

Milestone: Current

DepartmentStandard ComponentsRoom Tag:3740Room NameReception (Emergency), 20m2Room Code:REC-E-SJ

ID	Description	Category	Group	Qty	Selection / Remarks
4460	Cupboard: wall mounted	Furniture/ Fitting	1	1	over high bench
6510	Drawer unit: lockable	Furniture/ Fitting	1	1	cash drawer under bench, optional
11465	Keyboard shelf: drop down	Furniture/ Fitting	1	3	optional
17255	Pedestal filing unit: mobile, 660mmH	Furniture/ Fitting	3	3	under workstation bench
17360	Pinboard: fabric covered	Furniture/ Fitting	1	3	above upstand of benches
19505	Security screen: safety glass	Furniture/ Fitting	1	1	over counter top, with communication slots
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	2	
24400	Whiteboard	Furniture/ Fitting	2	1	900x900

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	VmW	Тар	Dns	Gas	Selection / Remarks
11400	Computer: PC & monitor	3	3	yes	yes							flat acreen
17220	Document transfer system	1	1	yes								optional
41100	Printer: networked	3	1	yes	yes							optional
54510	Telephone: handset, standard	3	3		yes							

Services

ID	Description	Service Category	Qty	Selection / Remarks
1045	EFTPOS connection	Communications	1	
1040	Intercom	Communications	1	optional
1006	Voice / Data outlet: double	Communications	2	to rear bench, 1 outlet for telephone
1006	Voice / Data outlet: double	Communications	3	to workstation bench, 1 outet on each panel for telephone
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6030	Special: downlights	Lighting		to bulkhead, if provided
6055	Special: task light, built in	Lighting		to counter top & under O/H joinery
9001	GPO: Double	Power	10	
10005	Duress alarm	Security	3	to workstation bench
10051	Remote door release	Security	3	

SHCC Guidelines

Provided by TAHPI for : Sharjah Domain

Issue No:1 Print Date: 20 May 2014 Issue Date: 1 Apr 2014 Page 2 of 2