Sharjah Healthcare City - Health Facility Guidelines

Room Data Sheets

Print Date: 20 May 2014

Page 1 of 2

Issue No: 1

Issue Date: 1 Apr 2014

Milestone: Current

Department Room Name	Standard Components Staff Station/ Clean Utility	Room Tag: Room Code:	4110 SSCU-SJ					
Net Room Area Briefed	9.0 M2							
No of Rooms	1							
Subtotal of Briefed Area	9.00 M2							
Hours of Operation	24 Hours							
Occupancy	Up to 2							
Also covers these Rooms								
Description/ Special Requirements	' administrative base and for storage and proparation of alegen and storile							
Amendment	13.03.2014 - First Issue 24.03.2014 - General revision							

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
5007	Ceiling	Plasterboard	Paint	Bulkhead		optional
6025	Cornice	Aluminium	Powdercoat	shadow line		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
4050	Wall protection	Timber/MDF	Stain/ clear finish	Combined rail and crash bar at 900AFFL		to front of desk, optional

Fittings and Furniture (FF)

SHCC Guidelines

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	at 900H, adjoining workstation bench
1950	Chair: ergonomic, high	Furniture/ Fitting	3	2	
4230	Counter top	Furniture/ Fitting	1	1	laminate/ resinate, to staff station
4360	Cupboard: door ht adj. shelves	Furniture/ Fitting	1	1	lockable
4375	Cupboard: medication, lockable	Furniture/ Fitting	1	1	with drug safe
4410	Cupboard: under bench	Furniture/ Fitting	1	1	with adjustable shelf
4470	Cupboard: wall mounted, lockable	Furniture/ Fitting	1	1	over bench, with adjustable shelf
11465	Keyboard shelf: drop down	Furniture/ Fitting	1	2	optional
12900	Louvred panel: for storage-bins	Metalwork	1	2	above bench, optional
17260	Pedestal filing unit: mobile, 840mmH	Furniture/ Fitting	3	1	under workstation bench
19060	Safe: dangerous drugs, small	Furniture/ Fitting	1	1	in medication cupboard (to be reinforced for 45 kg weight)
19700	Sharps bin	Furniture/ Fitting	3	1	on bench

Provided by TAHPI for :

Sharjah Domain

Sharjah Healthcare City - Health Facility Guidelines

Room Data Sheets

Milestone: Current

	Department Room Name		d Components ation/ Clean Utility			Room Tag: Room Code:	4110 SSCU-SJ
ID	Description		Category	Group	Qty	Selection / Remarks	
21250	Staff station: laminate/ timbe	r	Furniture/ Fitting	1	1	workstation bench at 900H	
21755	Storage bins		Furniture/ Fitting	3	5	for louvred panles, optional	
24100	Waste bin: paper, 20 Litre		Furniture/ Fitting	3	1	under workstation bench	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	₩m₩	Тар	Dns	Gas	Selection / Remarks
11400	Computer: PC & monitor	3	2	yes	yes							
43800	Refrigerator: under-bench, 120 Litre	3	1	yes								optional
54510	Telephone: handset, standard	3	2		yes							on workstation bench

Services

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	1	to clean utility bench
1006	Voice / Data outlet: double	Communications	2	to staff station, 1 outlet each panel for telephone
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6055	Special: task light, built in	Lighting		under O/H cupboards
9001	GPO: Double	Power	4	to staff station
9010	GPO: Emergency power, single	Power	2	above bench
9000	GPO: Single	Power	1	Refrigerator, under bench
10005	Duress alarm	Security	1	under staff station bench