Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Standard Components Department Room Tag: 4760 Waiting - Secure **WAIT-SEC-SJ Room Name Room Code:**

Net Room Area Briefed

6.0 M2

No of Rooms

Subtotal of Briefed Area

6.00 M2

Hours of Operation

24 Hours

Occupancy

Up to 4

Also covers these Rooms

Description/ **Special Requirements** The Secure Waiting is an area for visitors to a Mental Health Unit to wait in comfort prior to or during visits. The area will be secured and visitors will alert staff of their arrival to gain entry to the Unit. The waiting area will be located in close proximity to a reception area or staff station. Public amenties should be located in close proximity. All glazing (including external windows if provided) is to comply with relevant local standard and requirement.

Amendment

13.03.2014 - First Issue

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5010	Ceiling	Plasterboard	Paint, washable	Flush set, suspended		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9115	Doors	Solid Core/ Glass	Paint	1 1/2 leaf, half glazed		1350mm clear opening; safety glass; lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		vinyl also acceptable
949496	Skirting	Timber	Paint	150mmH x 20mm thick, nominal		or floor vinyl coved skirting if vinyl is used
3000	Wall finish	Paint	Acrylic, washable			·

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
2700	Chair: waiting	Furniture/ Fitting	3	3	some with arms, space for wheelchair/pram
17360	Pinboard: fabric covered	Furniture/ Fitting	2	1	or artwork, optional, secure fixings
13120	Rack: magazine/ pamphlet	Furniture/ Fitting	3	1	
23295	Stand: public telephone	Furniture/ Fitting	3	1	if public telephone provided
22800	Table: low	Furniture/ Fitting	3	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	/ mW	Тар	Dns	Gas	Selection / Remarks
41900	Telephone: public	3	1	yes	yes							with stand, optional

Services

Sharjah Healthcare City - Health Facility Guidelines

Milestone: Current

Room Data Sheets

Department Standard Components Room Tag: 4760

Room Name Waiting - Secure Room Code: WAIT-SEC-SJ

ID	Description	Service Category	Qty	Selection / Remarks
1035	Door buzzer	Communications	2	
1040	Intercom	Communications	2	to Reception/ Staff Station
1011	Telephone: public phone	Communications	1	optional
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	1	