Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Department Standard Components Room Tag: 4815
Room Name Workshop - General Maintenance Room Code: WK-GM-SJ

Net Room Area Briefed

50.0 M2

No of Rooms

1

Subtotal of Briefed Area

50.00 M2

Hours of Operation

Available 24 Hours

Occupancy

2 - 3 staff

Also covers these Rooms

2 - 3 Stail

Description/ Special Requirements A covered, secure industrial area for use by tradespersons to manufacture, repair or service items of building fabric or equipment. Major items of equipment may be used in this area including power saws, drills, sanders and lathes. The area may include storage of large or bulky items of building fabric. A Cleaning Bay will be located in close proximity for cleaning of equipment following use.

Amendment

13.03.2014 - First Issue

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5140	Ceiling	Concrete	Paint	Acrylic		
8040	Door protection	Composite	Prefinished PVC	To door frame		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
9001	Doors	Solid Core	Paint	Single leaf		920mmclear opening, lockable, staff access
1280	Floor finish	Concrete	Trowel	Sealed		
3000	Wall finish	Paint	Acrylic, washable			
3110	Wall finish	Stainless steel	Linished	Splashback		integral with handwash basin
7001	Windows					desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1121	Bench: work	Furniture/ Fitting	3	4	timber, free standing
13640	Cupboard: metal, 2 door	Furniture/ Fitting	3	2	storage, lockable
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to basin
6156	Dispenser: soap	Furniture/ Fitting	2	1	to basin
13650	Metal shelving: 1200x600x2100	Furniture/ Fitting	3	2	heavy duty
17360	Pinboard: fabric covered	Furniture/ Fitting	2	1	900x900, optional
19800	Shelf: laminate	Furniture/ Fitting	1	2	over workbenches, optional
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	to basin
24400	Whiteboard	Furniture/ Fitting	2	1	900x900, optional

Fixtures, Equipment and associated Services (FE)

ID	Description		Group	Qty	Ele	Data	CdW	HtW	%mW	Тар	Dns	Gas	Selection	n / F	Remarks
2870	Basin: handwash, stair	nless steel	1	1			yes		yes	yes	yes		with integ	ral sp	plashback
Provided by TAHPI for :					Issue No: 1 Pr						Print Date:	rint Date: 20 May 2014			
SHCC Guideline		Sharjah Domain						Issue Date: 1 Apr 2014						Pa	age 1 of 2

Sharjah Healthcare City - Health Facility Guidelines

Milestone: Current

Room Data Sheets

Print Date: 20 May 2014

Page 2 of 2

Issue No: 1

Issue Date: 1 Apr 2014

Department Standard Components Room Tag: 4815
Room Name Workshop - General Maintenance Room Code: WK-GM-SJ

ID	Description	Group	Qty	Ele	Data	CdW	HtW	/ mW	Тар	Dns	Gas	Selection / Remarks
45575	Roller shutter: automatic	1	1	yes								
54510	Telephone: handset, standard	3	1		yes							wall phone

Services

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	1	
1005	Voice / Data outlet: single	Communications	1	wall phone
5019	Exhaust	HVAC		
5015	Ventilation	HVAC		
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	4	to walls
9000	GPO: Single	Power	4	ceiling suspended, over workbenches
9060	GPO: Special: for equipment	Power	2	3 phase, as required for tools; 1 for automatic roller shutter