## Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

**Room Data Sheets** 


Department Room Name	Standard ComponentsRoom Tag:Angiography Sterile Store/ Set-upRoom Code:Al						
Net Room Area Briefed	10.0 M2						
No of Rooms	1						
Subtotal of Briefed Area	10.00 M2						
Hours of Operation	24 Hours						
Occupancy	1 - 2 intermittently						
Also covers these Rooms							
Description/ Special Requirements	A room for the storage and preparation of r medications and where set-up for Angiogra Secured staff only access to the room may	phy procedures is underta	•				
Amendment	13.03.2014 First issue						

### **Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5010	Ceiling	Plasterboard	Paint, washable	Flush set, suspended		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
8040	Door protection	Composite	Prefinished PVC	To door frame		
9004	Doors	Solid Core/ Glass	Paint	Single leaf, observation panel		920mm clear opening, lockable
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
3052	Wall finish	Vinyl	Prefinished	Wall vinyl to 1500AFFL		tiles also acceptable

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	
1470	Bracket: sharps	Furniture/ Fitting	2	1	
4360	Cupboard: door ht adj. shelves	Furniture/ Fitting	1	1	lockable
4410	Cupboard: under bench	Furniture/ Fitting	1	2	with adjustable shelf
4470	Cupboard: wall mounted, lockable	Furniture/ Fitting	1	2	over bench, with adjustable shelf
6152	Dispenser: disposable glove	Furniture/ Fitting	2	1	
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to basin
6156	Dispenser: soap	Furniture/ Fitting	2	1	to basin
6158	Dispenser: soap antiseptic	Furniture/ Fitting	2	1	to basin
12900	Louvred panel: for storage-bins	Metalwork	1	2	above bench, optional



# Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

### **Room Data Sheets**

	Department Room Name	Standard Con Angiography	•	Set-up		Room Tag: Room Code:	1290 ANSS-SJ
ID	Description	Categ	jory	Group	Qty	Selection / Remarks	
19060	Safe: dangerous drugs, sma	ll Furnit	ure/ Fitting	1	1	optional	
19700	Sharps bin	Furnit	ure/ Fitting	3	1		
24100	Waste bin: paper, 20 Litre	Furnit	ure/ Fitting	3	1	to basin	

## Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	<b>V</b> mW	Тар	Dns	Gas	Selection / Remarks
2800	Basin: handwash, Type B	1	1			yes		yes	yes	yes		refer to BHWS-B (sim)
43800	Refrigerator: under-bench, 120 Litre	3	1	yes								optional
54510	Telephone: handset, standard	3	1		yes							optional, on bench

#### Services

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	1	1 outlet for telephone
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6055	Special: task light, built in	Lighting		under O/H cupboards
9001	GPO: Double	Power	1	
9000	GPO: Single	Power	2	
9000	GPO: Single	Power	1	Refrigerator, under bench