Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Print Date: 20 May 2014

Page 1 of 1

Issue No: 1

Issue Date: 1 Apr 2014

Standard Components 1430 Department Room Tag: **Room Name Bay - Emergency Shower Room Code: BES-SJ**

Net Room Area Briefed

1.0 M2

No of Rooms

Subtotal of Briefed Area

1.00 M2

Hours of Operation

Available 24 Hours

Occupancy

Also covers these

Special Requirements

Rooms

Description/

Readily accessible area with safety shower and eyewash equipment for

emergency use.

Amendment

13.03.2014 First issue

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5021	Ceiling	Plasterboard	Paint, washable	Water resistant, flush set, suspended		
6025	Cornice	Aluminium	Powdercoat	shadow line		
1175	Floor finish	Tiles	Non-slip	Ceramic		vinyl also acceptable
2145	Skirting	Tiles	To match floor	Coved		or vinyl floor coved skirting
3080	Wall finish	Tiles	Glazed	Full height		vinyl also acceptable

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	٧mW	Тар	Dns	Gas	Selection / Remarks
20700	Eye wash facility	1	1			yes				yes		
47600	Shower: safety	1	1			yes		yes	yes	yes		

Services

ID	Description	Service Category Qt		Selection / Remarks				
5015	Ventilation	HVAC						
4033	Floor waste	Hydraulics	1	waste water containment may be required				
6000	General fluorescent	Lighting						