Sharjah Healthcare City - Health Facility Guidelines

Milestone: Current

Room Data Sheets

Print Date: 20 May 2014

Page 1 of 1

Issue No: 1

Issue Date: 1 Apr 2014

DepartmentStandard ComponentsRoom Tag:1710Room NameBlood StoreRoom Code:BLST-SJ

Net Room Area Briefed

2.0 M2

No of Rooms

1

Subtotal of Briefed Area

2.00 M2

Hours of Operation

24 Hours

Occupancy

N/A

Also covers these Rooms

1

Description/ Special Requirements The Blood Store is a bay for refrigerated storage of blood and blood products. The Bay will be located with ready access to Operating Rooms and patient treatment areas.

Amendment

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5010	Ceiling	Plasterboard	Paint, washable	Flush set, suspended		
6025	Cornice	Aluminium	Powdercoat	shadow line		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
4031	Wall protection	Composite	Prefinished PVC	Corner guards to 1500 AFFL		

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	/ mW	Тар	Dns	Gas	Selection / Remarks
44300	Refrigerator: blood products	3	3	yes	opt							with temperature monitor

Services

ID	Description	Service Category	Qty	Selection / Remarks
1005	Voice / Data outlet: single	Communications	2	for temperature monitor/alarms, optional
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9011	GPO: Emergency power, double	Power	2	