## Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

**Room Data Sheets** 

Department Standard Components Room Tag: 1745
Room Name Change Cubicle - Accessible Room Code: CHPT-D-SJ

**Net Room Area Briefed** 

4.0 M2

No of Rooms

ı

**Subtotal of Briefed Area** 

4.00 M2

Hours of Operation

24 Hours

Occupancy

. . . . .

Also covers these Rooms

1 patient

Description/ Special Requirements

A screened area for disabled patients to change from street clothes into a hospital gown, as appropriate, prior to examination or treatment. Following examination or treatment, the patient will change in street clothes. The Change Cubicle should provide facilities for hanging clothes and a bench for the patient to sit on whilst changing.

**Amendment** 

13.03.2014 First issue

### **Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900AFFL		
8040	Door protection	Composite	Prefinished PVC	To door frame		
9001	Doors	Solid Core	Paint	Single leaf		920mm outward opening, Privacy latch
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1000	Bench seat	Furniture/ Fitting	1	1	or chair
3400	Coathook	Metalwork	1	2	1 at 1200 AFFL
4700	Curtain track: privacy screen	Metalwork	1	1	or door to cubicle
5250	Curtain: privacy screen	Furniture/ Fitting	3	1	if curtain track provided
8510	Grab Rail: SS	Metalwork	1	1	
13700	Mirror	Metalwork	1	1	
24200	Wheelchair	Furniture/ Fitting	3		spatial provision required

#### **Services**

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		

# Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

DepartmentStandard ComponentsRoom Tag:1745Room NameChange Cubicle - AccessibleRoom Code:CHPT-D-SJ

ID	Description	Service Category	Qty	Selection / Remarks
8080	Emergency call	Nurse Call	1	+ indicator button & light, outside cubicle entry
8000	Patient/ Staff call	Nurse Call	1	+ indicator button & light
8010	Staff/ Nurse assist call	Nurse Call	1	+ indicator button & light

Provided by TAHPI for : Sharjah Domain

Issue No:1 Print Date: 20 May 2014 Issue Date: 1 Apr 2014 Page 2 of 2