Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

DepartmentStandard ComponentsRoom Tag:2030Room NameComputer Training RoomRoom Code:COTR-SJ

Net Room Area Briefed

24.0 M2

No of Rooms

1

Subtotal of Briefed Area

24.00 M2

Hours of Operation

8am to 8pm, daily

Occupancy

Up to 7

Also covers these

Rooms

Description/ Special Requirements The Computer Training Room is provided for computer based staff

training sessions.

Acoustics: Sound attenuation medium; acoustic privacy required

Amendment

13.03.2014 First issue

Room Fabric and outline specifications

| ID | Fabric | Material | Finish | Specification | Selection | Remarks |
|--------|-----------------|----------------------|----------------------|---------------------------------|-----------|--|
| 5060 | Ceiling | Acoustic | Prefinished | Drop-in tiles, 600x1200 | | |
| 6025 | Cornice | Aluminium | Powdercoat | shadow line | | |
| 8000 | Door protection | Vinyl | Prefinished | Kickplate, 300mm high | | |
| 9002 | Doors | Solid Core/ Glass | Paint | Single leaf, half glazed | | 920mm clear opening, lockable |
| 1149 | Floor finish | Carpet | 90/10 Wool/ Nylon | Broadloom, 48 oz. | | |
| 949496 | Skirting | Timber | Paint | 150mmH x 20mm thick, nominal | | ducted metal skirting for services also acceptable |
| 3000 | Wall finish | Paint | Acrylic, washable | | | · |

Fittings and Furniture (FF)

| ID | Description | Category | Group | Qty | Selection / Remarks |
|-------|--------------------------|--------------------|-------|-----|---------------------|
| 2100 | Chair: ergonomic, office | Furniture/ Fitting | 3 | 7 | |
| 17360 | Pinboard: fabric covered | Furniture/ Fitting | 3 | 2 | above workstations |
| 24440 | Workstation: computer | Furniture/ Fitting | 3 | 7 | |

Fixtures, Equipment and associated Services (FE)

| ID | Description | Group | Qty | Ele | Data | CdW | HtW | %mW | Тар | Dns | Gas | Selection / Remarks |
|-------|----------------------------------|-------|-----|-----|------|-----|-----|------------|-----|-----|-----|---------------------|
| 11400 | Computer: PC & monitor | 3 | 7 | yes | yes | | | | | | | |
| 41350 | Projection screen: ceiling, auto | 1 | 1 | yes | | | | | | | | |
| 15000 | Projector: data | 3 | 1 | yes | yes | | | | | | | ceiling mounted |
| 54510 | Telephone: handset, standard | 3 | 1 | | yes | | | | | | | on educator's desk |
| 61350 | Whiteboard, electronic | 3 | 1 | yes | | | | | | | | optional |

Services

| ID Description Service Category | Qty | Selection / Remarks |
|---------------------------------|-----|---------------------|
|---------------------------------|-----|---------------------|

Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Page 2 of 2

Standard Components 2030 Department Room Tag: **Computer Training Room Room Name** Room Code: **COTR-SJ**

| ID | Description | Service Category | Qty | Selection / Remarks |
|------|-----------------------------|------------------|-----|-----------------------------------|
| 1006 | Voice / Data outlet: double | Communications | 8 | 1 per workstatrion + 1 additional |
| 5000 | Airconditioning | HVAC | | |
| 6110 | Downlights: dimmable | Lighting | | |
| 6000 | General fluorescent | Lighting | | |
| 9001 | GPO: Double | Power | 15 | 2 per workstation + 1 additional |