Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Standard Components 2280 Department Room Tag: Disposal Room, 8m2 **Room Name Room Code: DISP-8-SJ**

Net Room Area Briefed

8.0 M2

No of Rooms

Subtotal of Briefed Area

8.00 M2

Hours of Operation

24 Hours

Occupancy

Also covers these Rooms 1 - 2 intermittently

Description/ **Special Requirements**

The Disposal Room provides for the temporary holding of clinical waste, general waste, sharps, soiled linen and recyclables prior to removal. The Disposal Room should be located in close proximity to a handwashing basin or be provided within the room (optional) if waste will be handled in this area.

The room should be lockable.

Amendment

13.03.2014 First issue

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5030	Ceiling	Plasterboard	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
8040	Door protection	Composite	Prefinished PVC	To door frame		
9001	Doors	Solid Core	Paint	Single leaf		1100mm clear opening, lockable, optional glazed viewing panel to door
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
3052	Wall finish	Vinyl	Prefinished	Wall vinyl to 1500AFFL		

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
6157	Dispenser: medicated hand gel	Furniture/ Fitting	2	1	
6154	Dispenser: paper/ hand towel	penser: paper/ hand towel Furniture/ Fitting		1	to hand basin, if provided
6156	Dispenser: soap	Furniture/ Fitting	2	1	to hand basin, if provided
23925	Trolley: soiled linen collection	Furniture/ Fitting	3	1	
24125	Waste bin: clinical	Furniture/ Fitting	3	2	240 Litre
24102	Waste bin: general	Furniture/ Fitting	3	1	240 Litre

Issue Date: 1 Apr 2014

Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

Room Data Sheets

Print Date: 20 May 2014

Page 2 of 2

Department Standard Components Room Tag: 2280
Room Name Disposal Room, 8m2 Room Code: DISP-8-SJ

ID	Description	Category	Group	Qty	Selection / Remarks
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	to hand basin, if provided

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	V mW	Тар	Dns	Gas	Selection / Remarks
2800	Basin: handwash, Type B	1	1			yes		yes	yes	yes		Default = no hand basin:
												optional

Services

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
5019	Exhaust	HVAC		
6000	General fluorescent	Lighting		