# Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

**Room Data Sheets** 

Department Room Name	Standard Components Drug Information	Room Tag: Room Code:	2290 DRI-SJ
Net Room Area Briefed	1.0 M2		
No of Rooms	1		
Subtotal of Briefed Area	1.00 M2		
Hours of Operation	24 Hours		
Occupancy	1 intermittently		
Also covers these Rooms			
Description/ Special Requirements	A Bay with a bench and computer for personnel to access drug information should not impede corridor traffic.		
Amendment	13.03.2014 First issue		

#### Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6025	Cornice	Aluminium	Powdercoat	shadow line		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		carpet also acceptable
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		or featheredge vinyl skirting over carpet
3000	Wall finish	Paint	Acrylic, washable			

#### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	900AFFL;
1950	Chair: ergonomic, high	Furniture/ Fitting	3	1	
6495	Holder: brochure	Furniture/ Fitting	3	1	
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	above bench
20000	Shelving unit: adjustable	Furniture/ Fitting	1	1	above bench, optional
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	

# Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	<b>V</b> mW	Тар	Dns	Gas	Selection / Remarks
11400	Computer: PC & monitor	3	1	yes	yes							
41100	Printer: networked	3	1	yes	yes							optional
54510	Telephone: handset, standard	3	1		yes							

#### Services

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	1	
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		

	Provided by TAHPI for :	Issue No: 1	Print Date: 20 May 2014
SHCC Guidelines	Sharjah Domain	Issue Date: 1 Apr 201	4 Page 1 of 2

# Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

**Room Data Sheets** 

	Department Room Name		ard Components Information		Room Tag: Room Code:	2290 DRI-SJ
ID	Description		Service Category	Qty	Selection / Remarks	
6055	Special: task light, built in		Lighting		under O/H shelving if provided	
9001	GPO: Double		Power	2		