

|  |   |                   |                |
|--|---|-------------------|----------------|
| <b>Department</b>                            | <b>Standard Components</b>  | <b>Room Tag:</b>  | <b>2460</b>    |
| <b>Room Name</b>                             | <b>Freezer Room</b>   | <b>Room Code:</b> | <b>FRRM-SJ</b> |
| <b>Net Room Area Briefed</b>                 | 10.0 M2   |                   |                |
| <b>No of Rooms</b>                           | 1   |                   |                |
| <b>Subtotal of Briefed Area</b>              | 10.00 M2  |                   |                |
| <b>Hours of Operation</b>                    | 24 Hours  |                   |                |
| <b>Occupancy</b>                             | N/A   |                   |                |
| <b>Also covers these Rooms</b>               |   |                   |                |
| <b>Description/<br/>Special Requirements</b> | Room for storage of frozen goods. Freezer Room temperature should be monitored and alarmed. Essential power supply may be required. |                   |                |
| <b>Amendment</b>                             | 13.03.2014 First issue  |                   |                |

**Room Fabric and outline specifications**

| ID   | Fabric       | Material | Finish      | Specification   | Selection | Remarks   |
|------|--------------|----------|-------------|-----------------|-----------|---|
| 5000 | Ceiling      | Metal    | Prefinished | Coolroom panels |           |   |
| 9060 | Doors        | Metal    | Prefinished | Coolroom        |           | Swing or sliding; lockable; escape access from inside |
| 1315 | Floor finish | Metal    | Prefinished | Coolroom panels |           |   |
| 2190 | Wall finish  | Metal    | Prefinished | Coolroom panels |           |   |

**Fittings and Furniture (FF)**

| ID    | Description                         | Category  | Group | Qty | Selection / Remarks      |
|-------|-------------------------------------|-----------|-------|-----|--------------------------|
| 19950 | Shelving: stainless steel, coolroom | Metalwork | 1     | 6   | around all sides of room |

**Services**

| ID   | Description                    | Service Category | Qty | Selection / Remarks                 |
|------|--------------------------------|------------------|-----|-------------------------------------|
| 1085 | Temperature monitor & alarm    | Communications   | 1   |                                     |
| 5021 | Special ventilation: cool room | HVAC             | 1   |                                     |
| 6000 | General fluorescent            | Lighting         |     |                                     |
| 9060 | GPO: Special: for equipment    | Power            |     | essential supply to cool room plant |