## Sharjah Healthcare City - Health Facility Guidelines Milestone: Current

**Room Data Sheets** 

Department Standard Components Room Tag: 2530

Room Name Gymnasium, Paediatric Therapy Room Code: GYAH-P-SJ

**Net Room Area Briefed** 

45.0 M2

No of Rooms

1

**Subtotal of Briefed Area** 

45.00 M2

Hours of Operation

8am to 6pm daily

Occupancy

Up to 10

Also covers these Rooms

Description/

**Special Requirements** 

The Gymnasium - Paediatric provides for paediatric patient evaluation, rehabilitation exercise activities and therapy. An external outlook is desirable. The equipment to be used in this area will be dependent on the function of the gym and the Operational Policy.

10

Acoustics: Acoustic privacy required.

Body protected electrical area

**Amendment** 

13.03.2014 First issue

#### **Room Fabric and outline specifications**

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5030	Ceiling	Plasterboard	Prefinished	Drop-in tiles, 600x1200		3500AFFL for swings
6025	Cornice	Aluminium	Powdercoat	shadow line		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		
8040	Door protection	Composite	Prefinished PVC	To door frame		
9225	Doors	Solid Core/ Glass	Paint	Double leaf, observation panel		1500 mm clear opening
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
3022	Wall finish	Resinate, 6mm	Prefinished	Splashback		to basin, tiles also acceptable
7001	Windows					desirable

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1130	Blackboard	Metalwork	2	1	
1250	Blind: Venetian Metalwork		3	2	1 to each external window as required
1395	Bolster swing Furniture/ Fi		1	1	optional
1575	Ceiling attachment loop	Metalwork	1	4	for swings, optional
1600	Chair: child	Furniture/ Fitting	3	6	

# **Sharjah Healthcare City - Health Facility Guidelines**

Milestone: Current

**Room Data Sheets** 

DepartmentStandard ComponentsRoom Tag:2530Room NameGymnasium, Paediatric TherapyRoom Code:GYAH-P-SJ

ID	Description	Category	Group	Qty	Selection / Remarks
2100	Chair: ergonomic, office	Furniture/ Fitting	3	1	for desk
2655	Chair: visitor	Furniture/ Fitting	3	2	
3350	Clock: battery operated	Furniture/ Fitting	3	1	
4360	Cupboard: door ht adj. shelves	Furniture/ Fitting	1	2	lockable
5900	Desk	Furniture/ Fitting	3	1	
6152	Dispenser: disposable glove	Furniture/ Fitting	2	1	
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to basin
6156	Dispenser: soap	Furniture/ Fitting	2	2	to basin
6400	Doll's house	Furniture/ Fitting	3	1	
9250	Hook: wall	Metalwork	1	2	swing tie back hooks
13700	Mirror	Metalwork	1	1	1200W x 1200H
17360	Pinboard: fabric covered	Furniture/ Fitting	2	1	900 x 900
19090	Sand play box	Furniture/ Fitting	3	1	
19180	Scooter board & ramp	Furniture/ Fitting	3	1	optional
18955	Swing: rope	Furniture/ Fitting	1	1	optional
22620	Table: adjustable height	Furniture/ Fitting	3	2	
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	to basin
24400	Whiteboard	Furniture/ Fitting	2	1	900 x 900

### Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	<b>%mW</b>	Тар	Dns	Gas	Selection / Remarks
2800	Basin: handwash, Type B	1	1			yes		yes	yes	yes		refer to BHWS-B (sim)
54510	Telephone: handset, standard	3	1		yes							to desk

### **Services**

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	1	1 outlet for telephone
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
8080	Emergency call	Nurse Call	1	+ indicator button & light
8010	Staff/ Nurse assist call	Nurse Call	1	+ indicator button & light
9040	Body protected	Power		
9015	GPO: Cleaner	Power	1	
9001	GPO: Double	Power	3	