

Department	Standard Components	Room Tag:	2560
Room Name	Hydrotherapy Pool Open Shower Area	Room Code:	HYDSH-SJ
Net Room Area Briefed	6.0 M2		
No of Rooms	1		
Subtotal of Briefed Area	6.00 M2		
Hours of Operation	8am to 8pm, daily		
Occupancy	Up to 4, intermittently		
Also covers these Rooms			
Description/ Special Requirements	The Hydrotherapy Pool Open Shower area is located off the Hydrotherapy Pool concourse for showering after pool sessions before entering the Change Room/s.		
Amendment	13.03.2014 First issue		

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5021	Ceiling	Plasterboard	Paint, washable	Water resistant, flush set, suspended		
6025	Cornice	Aluminium	Powdercoat	shadow line		
1175	Floor finish	Tiles	Non-slip	Ceramic		non slip vinyl also acceptable
2145	Skirting	Tiles	To match floor	Coved		or coved floor vinyl skirting
3080	Wall finish	Tiles	Glazed	Full height		vinyl also acceptable
4030	Wall protection	Composite	Prefinished PVC	Corner guards to 900 AFFL		as required

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
4800	Curtain track: shower	Metalwork	1	1	
5300	Curtain: shower	Furniture/ Fitting	3	2	L & R side
8450	Grab rail: Shower	Metalwork	1	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	Cd	WH	T	W	m	WT	Tap	Dns	Gas	Selection / Remarks
47400	Shower: hand-held	1	4			yes			yes	yes	yes	yes			

Services

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		for pool concourse area
5019	Exhaust	HVAC		
4033	Floor waste	Hydraulics	2	
6000	General fluorescent	Lighting		water resistant
8080	Emergency call	Nurse Call	1	
8000	Patient/ Staff call	Nurse Call	4	to each shower
8010	Staff/ Nurse assist call	Nurse Call	4	to each shower