

Design Guidelines for Hospitals and Day Procedure Centres

Standard Components Room Data Sheets

Room Name Bay - Beverage

Room Code BBEV

Area M2 3

Description Special Requirement

The Beverage bay is for preparing and/or heating refreshments, snacks and some meals, washing some utensils, storing food and drink and disposing of food waste. If located in a corridor, the space is to be adequately recessed.

Room Fabric and outline specifications

Remarks

1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150mmH	
3000	Wall finish	Paint	Acrylic, washable		
3060	Wall finish	Vinyl	Prefinished	Splashback	Full length of bench, tiles also acceptable
4030	Wall protection	Composite	Prefinished PVC	Corner guards to 900H	Equal to Acrovyn, as required
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	

Fittings and Furniture

Fitting ID	Category	Fitting	Grp	Quantity	Selection
1050	Furniture/ Fitting	Bench: laminate	1	1	with inset sink/drain
4410	Furniture/ Fitting	Cupboard: under bench	1	1	
4430	Furniture/ Fitting	Cupboard: drawer unit	1	1	under bench
4460	Furniture/ Fitting	Cupboard: wall mounted	1	1	above bench, adjustable shelf
6154	Furniture/ Fitting	Dispenser: paper towel	2	1	to sink
6156	Furniture/ Fitting	Dispenser: soap	2	1	to sink
19990	Furniture/ Fitting	Shelving unit - microwave	1	1	over bench, optional

Fixtures, Equipment and associated services

FFE ID	Description	Grp	Quantity	Ele	CdW	HtW	WmW	Tap	Dns	Gas	Stm	Selection
5000	Boiling water unit	1	1	yes	yes	___	___	yes	yes	___	___	optional
47890	Sink & drainer: 930mmW	1	1	___	yes	___	yes	yes	yes	___	___	lever taps

Services

Service ID	Service Category	Description	Quantity	Remarks
5000	HVAC	Heating, Ventilation & Airconditioning		Refer to Part E Building Services
6000	Lighting	General		
9000	Power	GPO: Single	1	above bench
9001	Power	GPO: Double	3	fridge; boiling water unit; m/wave