

Design Guidelines for Hospitals and Day Procedure Centres

Standard Components Room Data Sheets

Room Name **Change Cubicle - Patient**

Room Code **CHPT**

Area M2 **2**

Description Special Requirement

A screened area for ambulant patients to undress from street clothes into a hospital gown, as appropriate, prior to examination or treatment. Following examination or treatment, the patient will re-dress in street clothes. The Change Cubicle should provide facilities for hanging clothes and a bench for the patient to sit on whilst changing. A Change Cubicle - Patient for Disabled Use shall be a minimum of five m2.

Room Fabric and outline specifications

Remarks

1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150mmH	
3000	Wall finish	Paint	Acrylic, washable		
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
9001	Doors	Solid Core	Paint	Single leaf	910mm outward opening, Privacy latch

Fittings and Furniture

Fitting ID	Category	Fitting	Grp	Quantity	Selection
1000	Furniture/ Fitting	Bench seat	1	1	or chair - visitor/ patient
3400	Metalwork	Coat hook	1	2	
4700	Metalwork	Curtain track, cubicle	1	1	or cubicle partition
13700	Metalwork	Mirror	1	1	

Fixtures, Equipment and associated services

Services

Service ID	Service Category	Description	Quantity	Remarks
5000	HVAC	Heating, Ventilation & Airconditioning		Refer to Part E Building Services
6000	Lighting	General		
8000	Nurse Call	Patient / Nurse call	1	+ indicator button & light
8010	Nurse Call	Nurse assist call	1	+ indicator button & light, Optional
8080	Nurse Call	Emergency call	1	+ indicator button & light