

Design Guidelines for Hospitals and Day Procedure Centres

Standard Components Room Data Sheets

Room Name	Disposal Room	Room Code	DISP
Area M2	8		
Description	The Disposal Room provides for the temporary storage contaminated waste, sharps, soiled linen and recyclables prior to removal. The Disposal Room should include a handwashing basin within the room if clinical waste will be handled in this area.		
Special Requirement	The room should be lockable.		

Room Fabric and outline specifications					Remarks
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150mmH	
3000	Wall finish	Paint	Acrylic, washable		
3040	Wall finish	Vinyl	Prefinished	Wall vinyl to 1200mm dado	
3060	Wall finish	Vinyl	Prefinished	Splashback	to basin, if provided
4030	Wall protection	Composite	Prefinished PVC	Corner guards to 900H	as required
5030	Ceiling	Plasterboard	Prefinished	Drop-in tiles, 600x1200	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900mm AFFL	Equal to Acrovyn
8040	Door protection	Composite	Prefinished PVC	To door frame	Equal to Acrovyn
9001	Doors	Solid Core	Paint	Single leaf	910mm clear opening, lockable

Fittings and Furniture

Fitting ID	Category	Fitting	Grp	Quantity	Selection
6154	Furniture/ Fitting	Dispenser: paper towel	2	1	to hand basin, if provided
6156	Furniture/ Fitting	Dispenser: soap	2	1	to hand basin, if provided

Fixtures, Equipment and associated services

FFE ID	Description	Grp	Quantit	Ele	CdW	HtW	WmW	Tap	Dns	Gas	Stm	Selection
2850	Basin : handwash - small	1	1	___	yes	___	yes	yes	yes	___	___	Type C, optional

Services

Service ID	Service Category	Description	Quantity	Remarks
5000	HVAC	Heating, Ventilation & Airconditioning		Refer to Part E Building Services
5019	HVAC	Exhaust		Refer to Part E Building Services
6000	Lighting	General		