

Design Guidelines for Hospitals and Day Procedure Centres

Standard Components Room Data Sheets

Room Name Toilet - Public

Room Code WCPU

Area M2 3

Description Special Requirement

A room containing a toilet and handbasin for public or visitor use. The Public Toilet may also include facilities for baby change

Acoustics: Sound attenuation level - high; Acoustic privacy is required.

Room Fabric and outline specifications

Remarks

1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	tiles also acceptable
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150mmH	or tiles for tiled floor
3000	Wall finish	Paint	Acrylic, washable		
3060	Wall finish	Vinyl	Prefinished	Splashback	tiles also acceptable
5023	Ceiling	Plasterboard	Prefinished	Water resistant, drop in tiles, 600x1200	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900mm AFFL	Equal to Acrovyn; both sides
8040	Door protection	Composite	Prefinished PVC	To door frame	Equal to Acrovyn; both sides
9001	Doors	Solid Core	Paint	Single leaf	910mm clear outward opening, privacy latch, emergency release

Fittings and Furniture

Fitting ID	Category	Fitting	Grp	Quantity	Selection
3410	Metalwork	Coat hook	1	1	
6154	Furniture/ Fitting	Dispenser: paper towel	2	1	to basin
6156	Furniture/ Fitting	Dispenser: soap	2	1	to basin
6160	Furniture/ Fitting	Dispenser: toilet paper	2	1	
13700	Metalwork	Mirror	1	1	
19910	Furniture/ Fitting	Shelf - vanity	1	1	

Fixtures, Equipment and associated services

FFE ID	Description	Grp	Quantity	Ele	CdW	HtW	WmW	Tap	Dns	Gas	Stm	Selection
2850	Basin : handwash - small	1	1	___	yes	___	yes	yes	yes	___	___	Type C
55600	Toilet suite: standard	1	1	___	yes	___	___	yes	yes	___	___	

Services

Service ID	Service Category	Description	Quantity	Remarks
4033	Hydraulics	Floor drain	1	
5000	HVAC	Heating, Ventilation & Airconditioning		Refer to Part E Building Services
5019	HVAC	Exhaust		Refer to Part E Building Services
6000	Lighting	General		
9001	Power	GPO: Double	1	optional